


DATA SHEET FOR
AUTO-TRANSFORMER # AZ85620

Made for STANDARD

LEADS

SCHEMATIC

S#22/8"	230V input	brown	
S#22/8	120V / 250 VA	black	
S#22/8"	COMM.	white	

Manufacturing tolerance is +/- 3%.
S=Multistranded Lead wire. Length tolerance: +/- 1/2".

NOMINAL SUPPLY: 230V +/- 10%
RATED PRIMARY CURRENT: 1.2 A

RATED FREQ.: 50 Hz
TEMP RISE AT RATED LOAD = 54 C

DIMENSIONS/WEIGHT:
OD = 3.7"
H = 1.8"
WEIGHT = 2.6 LBS.

MOUNTING:
WASHER/PADS = 70 mm
THICKNESS = .05"
HOLE DIAMETER = .25"

CORE DATA:
CORE # 120
NO-LOAD LOSS = .7 W
NO-LOAD AMPS = 7 mA

Dimensions stated above are nominal. Tolerance is 10%

OTHER SPECIFICATIONS: Transformer is UL recognized to UL 1411 and C-UL recognized to CSA standard CSA C22.2 No. 1-M90. Class A insulation.

SPEC. DATE: 02-13-95

Label:
TCM LOGO

Auto-Transformer AZ85620
Input: 230Vac 50 Hz brn-wht
Output: 120V 250 VA blk-wht